

## LL80-1080W-ES

### 80" Wet Location Rated Ceiling Fan with Wall Control

#### Finishes:

- Brushed Pewter with Brushed Pewter Blades (BP)
- Oil Rubbed Bronze with Oil Rubbed Bronze Blades (ORB)
- White with White Blades (WH)


**Dimensions:** 80.00"OD x 17.25"

**Blades:** 7 Aluminum Blades.

- 18° Blade Pitch

#### Notes/Certifications/Warranty:

- 120V
- 8" and 24" Downrod Included
- Downrod Mount Only
- Contact your Lumencia rep with the fan part number and slope angle if you are mounting to a sloped ceiling – we will let you know if this fan requires further accessories to accommodate
- Fan Must be Mounted with a Minimum of 10' of Clearance.
- Lead Wire: 76"
- Wall Control Included (*Must Mount Indoors*)
  - Controls Maximum of 3 fans without light kits
  - Controls a Maximum of 2 fans with light kits
- Remote Control (*LLRC-9 Sold Separately*)
- Optional Light Kits See Page 22
- DC Motor | 181 x 17 mm motor
- 5 Speed | Reversible
- RPM: 101(High)/61(Low), CFM: 11274 Efficiency: 242.3
- UL Listed for Wet Locations
- Energy Star 4.0 Compliant
- Limited Lifetime Motor Warranty
- 5 Year Warranty on LED Light Kit
- Non-Electrical Parts have a 1 Year Warranty



#### ORDERING INFORMATION

Model	Finish
LL80-1080W-ES	BP ORB WH

### LL1RP88LK-ESLED

#### Dry Location Light Kit in 4 Finishes

**Construction:** Aluminum

**Lens:** Acrylic

**Finishes:** Brushed Nickel (BN), Oil Rubbed Bronze (ORB), White (WH), Black (BLK)

**Dimensions:** 7.375"OD x 1.50"H


**Light Sources:** 120V/17W/1200lm/30K/90CRI Dimmable

#### ORDERING INFORMATION

Part #	Finish
LL1RP88LK-LED	BN ORB WH BLK

#### Notes/Certifications/Warranty:

- 120V
- Only for Use with Wall or Remote Controls
- Energy Star Listed
- JA8 Compliant
- cETLus listed for Dry Locations
- LED Light Kit: 5 Year Limited Warranty
- Non-Electrical: 1 Year Limited Warranty



### LL1RP89LK-ESLED

#### Dry Location Light Kit in 4 Finishes

**Construction:** Aluminum

**Lens:** Acrylic

**Finishes:** Brushed Nickel (BN), Oil Rubbed Bronze (ORB), White (WH), Black (BLK)

**Dimensions:** 7.375"OD x 1.00"H


**Light Sources:** 120V/12W/840lm/30K/90CRI Dimmable

#### ORDERING INFORMATION

Part #	Finish
LL1RP89LK-LED	BN ORB WH BLK

#### Notes/Certifications/Warranty:

- 120V
- Only for Use with Wall or Remote Controls
- Energy Star Listed
- JA8 Compliant
- cETLus listed for Dry Locations
- 50K Life Hours
- LED Lamp: 5 year Limited Warranty
- Non-Electrical: 1 Year Limited Warranty



### LL1RP98LK-ESLED

#### Wet Location Rated Light Kit in 4 Finishes

**Construction:** Aluminum

**Lens:** Frosted Acrylic

**Dimensions:** 7.625"OD x 1.00"H

**Finishes:** Brushed Pewter (BP), Matte Black (MBL), Oil Rubbed Bronze (ORB), White (WH)

**Light Source:** 120V/12W/843lm/30K/90CRI


Dimmable: TRIAC or ELV, 10-100%

#### ORDERING INFORMATION

Part #	Finish
LL1RP98LK-LED	BP MBL ORB WH

#### Notes/Certifications/Warranty:

- 120V
- Remote Control Adaptable
- Wall Control Adaptable
- ETLus Listed for Wet Locations
- CEC JA8 Compliant
- Energy Star Rated
- 50K Life Hours
- LED Light: 5 Year Limited Warranty
- Non-Electrical: 1 Year Limited Warranty



Job Name: \_\_\_\_\_

Type: \_\_\_\_\_

Part #: \_\_\_\_\_

Notes: \_\_\_\_\_

## Downrods

**LLDER: 1" Downrod available in several sizes.**

**Features:**

- 1.00" Diameter Downrod Available in 36", 48", 60", and 72"
- Recommended 7' of clearance under ceiling fan blades



Part #	Finish
LLDER36	BP
LLDER48	ORB
LLDER60	WH

## Optional Remote Control

**LLRC-9 in White.**

**Speed/Light Control:**

- 5 Speed Fan Control. Forward and Reverse
- Includes Timer Function
- On-Off Light Control

**Mounting/Wiring:**

- Canopy Wall Mounted
- 3-Wire Installation

**Dimensions:** 5.875" L x 1.50" W x 0.625" D

**Electrical Notes:**

- 120V- 60Hz
- 50W Max Load for Ceiling Fan
- 100W Max Load for Light (For Use with LED Sources)

**Transmitter:**

- Requires 2 x AAA Alkaline batteries (not included)
- Maximum Distance to fan/light kit is 49 feet

**Receiver:**

- Installed in Fan Canopy
- 1.375" L x 4.75" W x 2.125" D
- May pair up to a maximum of 10 fans/light kits

**Not Suitable for Multi-Family Units**

**Notes/Certifications/Warranty**

- UL Listed for Dry Locations
- FCC Certified
- 1 Year Limited Warranty

