

## Lumencia RightTrack

Select Track, Head, and Power Supply to create the Optimum Lighting Solution for your Application.



### Select Track

Choose from 3 Sizes and 3 Finishes.

**Finishes:** White (WHT), Black (BLK), and Brushed Nickel (BN)

**See Ordering Notes for Dimensions.**

#### Notes/Certifications/Warranty:

- Connectors Available for Longer Runs  
- See your Lumencia Rep for more information.
- cETLus Rated
- RoHS Complaint
- 1 Year Limited Warranty



**RoHS**  
compliant



White-WHT



Black-BLK



Brushed Nickel-BN

PART #	NOTES
LLTR118-2-WHT	2' White Track: 24.00"L x 1.31"W x 0.63"H
LLTR119-2-BLK	2' Black Track: 24.00"L x 1.31"W x 0.63"H
LLTR126-2-BN	2' Brushed Nickel Track: 24.00"L x 1.31"W x 0.63"H
LLTR120-4-WHT	4' White Track: 48.00"L x 1.31"W x 0.63"H
LLTR121-4-BLK	4' Black Track: 48.00"L x 1.31"W x 0.63"H
LLTR127-4-BN	4' Brushed Nickel Track: 48.00"L x 1.31"W x 0.63"H
LLTR124-6-WHT	6' White Track: 72.00"L x 1.31"W x 0.63"H
LLTR125-6-BLK	6' Black Track: 72.00"L x 1.31"W x 0.63"H
LLTR128-6-BN	6' Brushed Nickel Track: 72.00"L x 1.31"W x 0.63"H
LLTR122-8-WHT	8' White Track: 96.00"L x 1.31"W x 0.63"H
LLTR123-8-BLK	8' Black Track: 96.00"L x 1.31"W x 0.63"H
LLTR129-8-BN	8' Brushed Nickel Track: 96.00"L x 1.31"W x 0.63"H

## Select LED Head

12W LED Heads are available in 24° and 36° Beam Spread and 3 Finishes.

**Finishes:** White (WHT), Black (BLK), and Brushed Nickel (BN)

### See Series Notes for Lumens and Dimensions

#### Notes/Certifications/Warranty:

- 120V
- Dimmable: See List of Compatible Dimmers on page 5.
- cETLus Rated for Dry Locations
- T24 Compliant
- RoHS Complaint
- 30K Life Hours
- 3 Year Limited Warranty on Heads



### LLTH41X-LED Series

LED Bullet Heads

**Head Dimension:** 2.81"H x 2.81"W x 3.63"L x 5.5"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI  
Compatible with Type A Dimmers



White-WHT

Black-BLK

Brushed Nickel-BN

PART #	NOTES
LLTH411-24-LED-WHT	24° Beam Spread White Bullet Head
LLTH412-24-LED-BLK	24° Beam Spread Black Bullet Head
LLTH415-24-LED-BN	24° Beam Spread Brushed Nickel Bullet Head
LLTH413-36-LED-WHT	36° Beam Spread White Bullet Head
LLTH414-36-LED-BLK	36° Beam Spread Black Bullet Head
LLTH417-36-LED-BN	36° Beam Spread Brushed Nickel Bullet Head

### LLTH40X-LED Series

LED Pancake Heads

**Head Dimension:** 3.19"H x 3.19"W x 2.25"L x 7.13"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI  
Compatible with Type A Dimmers



White-WHT

Black-BLK

Brushed Nickel-BN

PART #	NOTES
LLTH401-24-LED-WHT	24° Beam Spread White Pancake Head
LLTH402-24-LED-BLK	24° Beam Spread Black Pancake Head
LLTH405-24-LED-BN	24° Beam Spread Brushed Nickel Pancake Head
LLTH403-36-LED-WHT	36° Beam Spread White Pancake Head
LLTH404-36-LED-BLK	36° Beam Spread Black Pancake Head
LLTH407-36-LED-BN	36° Beam Spread Brushed Nickel Pancake Head

### LLTH42X-LED Series

LED Angle Arm Heads

**Head Dimension:** 2.69"H x 2.69"W x 3.38"L x 5.75"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI  
Compatible with Type A Dimmers



White-WHT

Black-BLK

Brushed Nickel-BN

PART #	NOTES
LLTH421-24-LED-WHT	24° Beam Spread White Angle Arm Head
LLTH422-24-LED-BLK	24° Beam Spread Black Angle Arm Head
LLTH425-24-LED-BN	24° Beam Spread Brushed Nickel Angle Arm Head
LLTH423-36-LED-WHT	36° Beam Spread White Angle Arm Head
LLTH424-36-LED-BLK	36° Beam Spread Black Angle Arm Head
LLTH427-36-LED-BN	36° Beam Spread Brushed Nickel Angle Arm Head

## LLTH43X-LED Series

### LED Barrel Heads

**Head Dimension:** 2.19"H x 2.19"W x 3.75"L x 5.75"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI  
Compatible with Type A Dimmers



White-WHT



Black-BLK



Brushed Nickel-BN

PART #	NOTES
LLTH431-24-LED-WHT	24° Beam Spread White Barrel Head
LLTH432-24-LED-BLK	24° Beam Spread Black Barrel Head
LLTH435-24-LED-BN	24° Beam Spread Brushed Nickel Barrel Head
LLTH433-36-LED-WHT	36° Beam Spread White Barrel Head
LLTH434-36-LED-BLK	36° Beam Spread Black Barrel Head
LLTH437-36-LED-BN	36° Beam Spread Brushed Nickel Barrel Head

## LLTH44X-LED Series

### LED Pipe Heads

**Head Dimension:** 2.38"H x 2.38"W x 3.38"L x 6.25"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI  
Compatible with Type A Dimmers



White-WHT



Black-BLK



Brushed Nickel-BN

PART #	NOTES
LLTH441-24-LED-WHT	24° Beam Spread White Pipe Head
LLTH442-24-LED-BLK	24° Beam Spread Black Pipe Head
LLTH445-24-LED-BN	24° Beam Spread Brushed Nickel Pipe Head
LLTH443-36-LED-WHT	36° Beam Spread White Pipe Head
LLTH444-36-LED-BLK	36° Beam Spread Black Pipe Head
LLTH447-36-LED-BN	36° Beam Spread Brushed Nickel Pipe Head

## LLTH45X-LED Series

### LED Taper Back Heads

**Head Dimension:** 2.88"H x 2.88"W x 2.69"L x 5.75"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI  
Compatible with Type A Dimmers



White-WHT



Black-BLK



Brushed Nickel-BN

PART #	NOTES
LLTH451-24-LED-WHT	24° Beam Spread White Taper Back Head
LLTH452-24-LED-BLK	24° Beam Spread Black Taper Back Head
LLTH455-24-LED-BN	24° Beam Spread Brushed Nickel Taper Back Head
LLTH453-36-LED-WHT	36° Beam Spread White Taper Back Head
LLTH454-36-LED-BLK	36° Beam Spread Black Taper Back Head
LLTH457-36-LED-BN	36° Beam Spread Brushed Nickel Taper Back Head

## LLTH46X-LED Series

### LED Square Heads

**Head Dimension:** 2.25"H x 2.25"W x 2.38"L x 5.5"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI  
Compatible with Type A Dimmers



White-WHT



Black-BLK



Brushed Nickel-BN

PART #	NOTES
LLTH461-24-LED-WHT	24° Beam Spread White Square Head
LLTH462-24-LED-BLK	24° Beam Spread Black Square Head
LLTH465-24-LED-BN	24° Beam Spread Brushed Nickel Square Head
LLTH463-36-LED-WHT	36° Beam Spread White Square Head
LLTH464-36-LED-BLK	36° Beam Spread Black Square Head
LLTH467-36-LED-BN	36° Beam Spread Brushed Nickel Square Head

## LLTH47X-LED Series

LED Small Cylinder Heads

**Head Dimension:** 2.19"H x 2.19"W x 3.44"L x 6.38"E

**Performance:** 120V/12W/1000lms Del@30K/90 CRI

Compatible with Type A Dimmers



White-WHT

Black-BLK

Brushed Nickel-BN

PART #	NOTES
LLTH471-24-LED-WHT	24° Beam Spread White Small Cylinder Head
LLTH472-24-LED-BLK	24° Beam Spread Black Small Cylinder Head
LLTH475-24-LED-BN	24° Beam Spread Brushed Nickel Small Cylinder Head
LLTH473-36-LED-WHT	36° Beam Spread White Small Cylinder Head
LLTH474-36-LED-BLK	36° Beam Spread Black Small Cylinder Head
LLTH477-36-LED-BN	36° Beam Spread Brushed Nickel Small Cylinder Head

## LLTH48X-H-LED LLTH49X-H-LED Series

LED Forged Track Heads

**Head Dimension:** 2.75"H x 2.75"W x 3.00"L x 6.25"E

**Performance:** 120V/12W/1020lms Del@30K/90 CRI

Compatible with Type B Dimmers



Black-BLK

White-WHT

Brushed Nickel-BN

PART #	NOTES
LLTH488-24-H-LED-BLK	24° Beam Spread Black Forged Track Head
LLTH490-24-H-LED-WHT	24° Beam Spread White Forged Track Head
LLTH493-24-H-LED-BN	24° Beam Spread Brushed Nickel Forged Track Head
LLTH489-36-H-LED-BLK	36° Beam Spread Black Taper Forged Track Head
LLTH491-36-H-LED-WHT	36° Beam Spread White Taper Forged Track Head
LLTH492-36-H-LED-BN	36° Beam Spread Brushed Nickel Forged Track Head

## LLTH49X-H-LED Series

LED Piston Track Heads

**Head Dimension:** 2.75"H x 2.75"W x 3.00"L x 6.25"E

**Performance:** 120V/12W/1020lms Del@30K/90 CRI

Compatible with Type B Dimmers



Black-BLK

White-WHT

Brushed Nickel-BN

PART #	NOTES
LLTH494-24-H-LED-BLK	24° Beam Spread Black Piston Track Head
LLTH496-24-H-LED-WHT	24° Beam Spread White Piston Track Head
LLTH498-24-H-LED-BN	24° Beam Spread Brushed Piston Track Head
LLTH495-36-H-LED-BLK	36° Beam Spread Black Taper Piston Track Head
LLTH497-36-H-LED-WHT	36° Beam Spread White Taper Piston Track Head
LLTH499-36-H-LED-BN	36° Beam Spread Brushed Nickel Piston Track Head



## Dual Head Selection

Dual LED Heads are available in 24° and 36° Beam Spread and Two Finishes.

**Finishes:** White (WHT) and Black (BLK),

### Notes/Certifications/Warranty:

- 120V
- 24W Total
- Dimmable: See List of Compatible Dimmers
- cETLus Rated for Dry Locations
- T24 Compliant
- RoHS Complaint
- 30K Life Hours
- 3 Year Limited Warranty on Heads



**RoHS**  
compliant



### LLTH48X-DS-LED Series

LED Dual Square Track Heads

**Head Dimension:** 2.38"H x 6.75"W x 2.38"L x 6.00"E

**Performance:** 120V/24W/2000lms Del@30K/90 CRI  
Compatible with Type B Dimmers



Black-BLK



White-WHT

PART #	NOTES
LLTH484-DS-LED-BLK	24° Beam Spread Black Dual Square Track Head
LLTH486-DS-LED-WHT	24° Beam Spread White Dual Square Track Head
LLTH485-DS-LED-BLK	36° Beam Spread Black Dual Square Track Head
LLTH487-DS-LED-WHT	36° Beam Spread White Dual Square Track Head

### LLTH48X-DP-LED Series

LED Dual Pipe Track Heads

**Head Dimension:** 2.38"H x 6.75"W x 2.38"L x 6.00"E

**Performance:** 120V/24W/2000lms Del@30K/90 CRI  
Compatible with Type B Dimmers



Black-BLK



White-WHT

PART #	NOTES
LLTH480-DP-LED-BLK	24° Beam Spread Black Dual Pipe Track Head
LLTH482-DP-LED-WHT	24° Beam Spread White Dual Pipe Track Head
LLTH481-DP-LED-BLK	36° Beam Spread Black Dual Pipe Track Head
LLTH483-DP-LED-WHT	36° Beam Spread White Dual Pipe Track Head

### Type A Compatible Dimmers

**Leviton:** DSE06-10Z

**Lutron:** CTRP-253P, DVCLV-300P, DVVRP-253P, MAELV-600, NTELV-300, NTELV-600, NTRP-250, PD-5NE, SELV-300P

### Type B Compatible Dimmers

**Leviton:** 66ELV, DDL06, DDMX1, DSE06-10Z, DSL06-1LZ, DW6HD, IPE04-1L

**Lutron:** AYCL-153P, CTRP-253P, DVCL-153P, DVCLV-300P, DVVRP-253P, LECL-153PH, MA-PRO, MACL-153M, MAELV-600, MSCL-OP153M, NTCL-250, NTELV-300, NTRP-250, PD-10WX, PD-5NE, RRD-6CL, RRD-6NA, SELV-300P, PD-6WCL

**Satco:** 86/103

**Legrand:** ADTP703TU

**Cooper:** DUL06P-C2, RF9640-ND, SAL06P, SUF7, TAL06P-C2, VSUL06D

## Power Supply Selection

Available in Two Finishes.

**Finishes:** White (WHT) and Black (BLK),

**Notes/Certifications/Warranty:**

- Lawful for sale in California
- 1 Year Limited Warranty

### LLTP15X-C Series

Live End with Canopy.

**Dimensions:** 4.00W x 3.00"H x 5.00"E



White-WHT



Black-BLK

### LLTP15X-FC Series

Floating Canopy

**Dimensions:** 4.00W x 3.00"H x 5.00"E



White-WHT



Black-BLK

PART #	NOTES
LLTP154-FC-WHT	White Floating Canopy
LLTP155-FC-BLK	Black Floating Canopy

PART #	NOTES
LLTP152-C-WHT	White Live End with Canopy
LLTP153-C-BLK	Black Live End with Canopy

### LLTP15X-CK Series

Cord Kit

Includes 15' of two conductor wire and line switch

**Dimensions:** 0.66"W x 1.50"H x 184.00"E



White-WHT



Black-BLK

PART #	NOTES
LLTP156-CK-WHT	White Cord Kit
LLTP157-CK-BLK	Black Cord Kit

Ask your Lumencia Rep about additional accessories.